Dated 01/10/2025 Printed on 01/10/2025 Page n. 1 / 11 Replaced revision:2 (Dated 20/06/2023)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: RH011201
Product name RODINOR 102

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Rhodium plating solution ready to use

Identified Uses

Industrial

ERC: 2, 5, 8c.

PROC: 4, 5.

PC: 14.

LCS: IS.

1.3. Details of the supplier of the safety data sheet

Name BERKEM SRL

Full address

Via Della Provvidenza 63

District and Country

35030 Rubano

35030 Rubano (Padova) Italia

Tel. +390498978072

Fax +39049635018

e-mail address of the competent person

responsible for the Safety Data Sheet quality@berkem.it

1.4. Emergency telephone number

For urgent inquiries refer to MILANO: CAV Ospedale Niguarda Ca´Granda - Telefono (+39) 02 66101029

- PAVIA: CAV IRCCS Fondazione Maugeri - Telefono (+39) 0382 24444

BERGAMO: CAV Ospedali Riuniti - Telefono (+39) 800 883300
 FIRENZA: CAV Ospedale Careggi - Telefono (+39) 055 794819
 ROMA: CAV Policlinico Gemeli - Telefono (+39) 06 3054343

ROMA: CAV Policlinico Umberto - Telefono (+39) 06 49978000
 NAPOLI: CAV Ospedale Cardareli - Telefono (+39) 081 7472870

· VERONA: CAV Ospedale Borgo Trento - Telefono (+39) 800 011058

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section or

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH071 Corrosive to the respiratory tract.
EUH210 Safety data sheet available on request.

Revision nr.3 Dated 01/10/2025 Printed on 01/10/2025 Page n. 2 / 11 Replaced revision:2 (Dated 20/06/2023)

SECTION 2. Hazards identification .../>>

Precautionary statements: -

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Sulphuric acid

INDEX 016-020-00-8 2.5 ≤ x < 4 Skin Corr. 1A H314, Eye Dam. 1 H318, Classification note according to Annex

VI to the CLP Regulation: B

EC 231-639-5 Skin Corr. 1A H314: ≥ 15%, Skin Irrit. 2 H315: ≥ 5% - < 15%, Eye Dam. 1 H318:

≥ 15%, Eye Irrit. 2 H319: ≥ 5% - < 15%

CAS 7664-93-9

REACH Reg. 01-2119458838-20

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

No effects requiring implementation of special first aid measures are expected. The following information represents practical indications of correct behaviour in the event of contact with a chemical product, even if not hazardous.

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

Sulphuric acid

Winding, cough, general malaise and gastrointestinal disorders

4.3. Indication of any immediate medical attention and special treatment needed

If symptoms occur, whether acute or delayed, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Revision nr.3
Dated 01/10/2025
Printed on 01/10/2025
Page n. 3 / 11
Replaced revision:2 (Dated 20/06/2023)

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

Sulphuric acid
Sulfur oxides (Sox)

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

Sulphuric acid

For interventions in emergency cases, use an autonomous power respirator

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

Sulphuric acid

During the dilution phase, always add the product to the water available and NOT vice versa.

Revision nr.3 Dated 01/10/2025 Printed on 01/10/2025 Page n. 4 / 11 Replaced revision:2 (Dated 20/06/2023)

SECTION 7. Handling and storage .../>>

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

HUN Magyarország Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki

tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről

ITA Italia Decreto Legislativo 9 Aprile 2008, n.81

GBR United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

EU OEL EU Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)

2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive

2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive

91/322/EEC.

ACGIH ACGIH 2025

				Sul	ohuric acid				
hreshold Limit \	/alue								
Type	Country	TWA/8h		STEL/15min			Remarks / Observations		
		mg/m3	ppm	m	ng/m3	ppm			
AK	HUN	0,05							
VLEP	ITA	0,05							
WEL	GBR	0,05					THORA		
OEL	EU	0,05 THORA							
ACGIH		0,2					THORA		
Predicted no-effe	ct concentra	ation - PNEC							
Normal value in fresh water							0,0025	mg/l	
Normal value in marine water							0,00025	mg/l	
Normal value for fresh water sediment							0,002	mg/kg	
Normal value for marine water sediment							0,002	mg/kg	
Normal value of STP microorganisms							8,8	mg/l	
Health - Derived r	no-effect lev	el - DNEL / DN	/IEL						
	Effe	cts on consum	ers			Effects or	workers		
Route of expos	ure Acu	te Acute	Cl	nronic	Chronic	Acute loc	al Acute	Chronic	Chronic
	loca	l syster	mic lo	cal	systemic		systemic	local	systemic
Inhalation						0,1 mg/m3		0,05 mg/m3	

Legend:

 $(C) = {\sf CEILING} \hspace*{0.2cm} ; \hspace*{0.2cm} {\sf INHAL} = {\sf Inhalable} \hspace*{0.2cm} {\sf Fraction} \hspace*{0.2cm} ; \hspace*{0.2cm} {\sf RESP} = {\sf Respirable} \hspace*{0.2cm} {\sf Fraction} \hspace*{0.2cm} ; \hspace*{0.2cm} {\sf THORA} = {\sf Thoracic} \hspace*{0.2cm} {\sf Fraction}.$

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard

; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on

the duration and type of use.
Protect your hands with gloves of the following type:

Material: Nitrile rubber (NBR)

The indicated material is a possible choice; other materials can be adequate, depending on the specifications indicated by the manufacturer.

Thickness: > 0,4 mm

Glove thickness must be selected based on the minimum required breakthrough time.

Breakthrough time: > 480 min

Glove resistance depends on various elements, such as temperature and other environmental factors.

Revision nr.3 Dated 01/10/2025 Printed on 01/10/2025 Page n. 5 / 11 Replaced revision:2 (Dated 20/06/2023)

SECTION 8. Exposure controls/personal protection .../>>

Material: Nitrile rubber (NBR)

The following should be considered when choosing work glove material: compatibility, degradation, permeability time.

Thickness: > 0.11 mm

Glove thickness must be selected based on the minimum required breakthrough time.

Breakthrough time: > 480 min

Glove resistance depends on various elements, such as temperature and other environmental factors.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Value Information Appearance liquid Temperature: 25 °C Colour orange Temperature: 25 °C Odour odourless °C Melting point / freezing point Λ Initial boiling point 100 °C Flammability not flammable Lower explosive limit not applicable Upper explosive limit not applicable not applicable Flash point Auto-ignition temperature not applicable not determined Decomposition temperature рΗ 1,0-1,5 Temperature: 25 °C Kinematic viscosity not determined Solubility miscible Partition coefficient: n-octanol/water not determined Reason for missing data:Not applicable (inorganic product) Vapour pressure 24 mmHg Temperature: 25 °C Density and/or relative density 1,030-1,060 Temperature: 25 °C g/cm3 Relative vapour density not determined Particle characteristics not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Revision nr.3 Dated 01/10/2025 Printed on 01/10/2025 Page n. 6 / 11 Replaced revision:2 (Dated 20/06/2023)

SECTION 10. Stability and reactivity .../>>

Sulphuric acid

Decomposes at 450°C/842°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

Sulphuric acid

Decomposes when heated.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

Sulphuric acid

Reacts violently developing heat on contact with: alkaline metals,alkalis,ammonia,alkaline earth metals,metals,phosphoryl oxides,hydrides,phosphorus,halogenated compounds,nitrates.Halogen-deceased compounds,Osses-dehaving compounds,carbons.organic solvents,nitriles.aniline,peroxides.Nitro-organic compounds,nitrurious,Picrati.lithium silicide.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

Sulphuric acid

Avoid exposure to: high temperatures.

10.5. Incompatible materials

Sulphuric acid

Substances listed on it entry 10.3.

10.6. Hazardous decomposition products

Sulphuric acid

May develop: sulphur oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

Corrosive to the respiratory tract.

Sulphuric acid

LD50 (Oral): 2140 mg/kg Rats LC50 (Inhalation vapours): 510 mg/l/2h Rats

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

Printed on 01/10/2025
Page n. 7 / 11
Replaced revision:2 (Dated 20/06/2023)

SECTION 11. Toxicological information

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Sulphuric acid

LC50 - for Fish EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

22 mg/l/96h range 16 - 28 mg/l - Lepomis macrochirus

> 100 mg/l/48h Daphnia Magna - OECD Guideline 202

> 100 mg/l/72h Desmodesmus subspicatus - OECD Guideline 201

12.2. Persistence and degradability

Sulphuric acid

Solubility in water

Degradability: information not available

1000 - 10000 mg/l

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

Revision nr.3 Dated 01/10/2025 Printed on 01/10/2025 Page n. 8 / 11 Replaced revision:2 (Dated 20/06/2023)

SECTION 12. Ecological information .../>>

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

75

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Contained substance

Point

Revision nr.3
Dated 01/10/2025
Printed on 01/10/2025
Page n. 9 / 11
Replaced revision:2 (Dated 20/06/2023)

SECTION 15. Regulatory information .../>>

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Regulated explosives precursor

The acquisition, introduction, possession or use of that regulated explosives precursor by members of the general public is subject to reporting obligations as set out in Article 9.

All suspicious transactions and significant disappearances and thefts must be reported to the relevant national contact point.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0.1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances Sulphuric acid

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Skin Corr. 1A
Skin Corr. 1B
Skin corrosion, category 1B
Skin Corr. 1C
Skin Corr. 1
Skin corrosion, category 1C
Skin Corr. 1
Skin corrosion, category 1
Eye Dam. 1
Serious eye damage, category 1
Eye Irrit. 2
Skin Irrit. 2
Skin irritation, category 2

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

EUH071 Corrosive to the respiratory tract.
EUH210 Safety data sheet available on request.

Use descriptor system:

ERC 2 Formulation into mixture

ERC 5 Use at industrial site leading to inclusion into/onto article
 ERC 8c Widespread use leading to inclusion into/onto article (indoor)

LCS IS Use at industrial sites

PC 14 Metal surface treatment products

PROC 4 Chemical production where opportunity for exposure arises

PROC 5 Mixing or blending in batch processes

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

evision nr.3 ated 01/10/2025 inted on 01/10/2025

Printed on 01/10/2025
Page n. 10 / 11
Replaced revision:2 (Dated 20/06/2023)

BERKEM SRL RH011201 - RODINOR 102

SECTION 16. Other information .../>>

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- 27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

ΕN

Revision nr.3 Dated 01/10/2025 Printed on 01/10/2025 Page n. 11 / 11 Replaced revision:2 (Dated 20/06/2023)

BERKEM SRL RH011201 - RODINOR 102

SECTION 16. Other information .../>>

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 03/04/05/07/08/09/10/11/12/13/15/16.